

Thursday, 24 December 2015.

Re: Pool & Spa Skimmer Box Standards AS1926.3-2010

Please be advised that all Waterco Pool & Spa Skimmer boxes comply with the above standard and in particularly clauses 5.1 to 5.5. and are listed as follows:

Product Code	Product Description	Installation
29209	Supasaver Skimmer Extended 100mm	Concrete
29201	Supaskimmer	Concrete
292010	SUPASKIMMER 2"PORT W/RD DRESS RIM GREY	Concrete
29206	Supaskimmer with Square rim	Concrete
292061	SUPASKIMMER 2" PORT W/SQ DRESS RIM GREY	Concrete
29205	Supaskimmer	Fibreglass
29210	Supaskimmer Widemouth	Concrete
292011	Commercial Supaskimmer (Glass reinforced lid)	Concrete
29251	Skimmer Box S75C MK2	Concrete
292510	SKIMMER BOX S75 MK2 CONCRETE GREY	Concrete
29253	Skimmer Box S75C with Square rim	Concrete
292530	S75 SKIMMER W/SQ DR RIM CONCRETE GREY	Concrete
29256	Skimmer Box S75F MK2	Fibreglass

ASM002	Paramount SP5000 white not extended throat lid & dress ring beige round	Concrete
ASM003	Paramount SP5000 white not extended throat lid & dress ring beige round no gasket	Fibreglass
ASM0030	Paramount SP5000 white not extended throat lid & dress ring beige square no gasket	Fibreglass
ASM004	Paramount SP5000 white with extended throat lid & dress ring beige round c/w gasket	Fibreglass
ASM005	Paramount SP5000 white with extended throat lid & dress ring beige round no gasket	Fibreglass
ASM010	Paramount SP5000 white with extended throat lid & dress ring beige square no gasket	Fibreglass
ASM0010	Paramount SP5000 white with extended throat lid & dress ring beige square no gasket white extension ring	Fibreglass
ASM011	Paramount SP5000 grey with extended throat lid & dress ring grey square no gasket	Fibreglass
ASM0011	Paramount SP5000 white with extended throat lid & dress ring grey square no gasket grey extension ring	Fibreglass
ASM012	Paramount SP5000 grey with extended throat lid & dress ring beige square no gasket	Fibreglass
ASM0012	Paramount SP5000 white with extended throat lid & dress ring beige square no gasket grey extension ring	Fibreglass
ASM019	Paramount SP5000 grey not extended throat lid & dress ring grey round no gasket	Fibreglass
ASM020	Paramount SP5000 grey not extended throat lid & dress ring grey square no gasket	Fibreglass
ASM021	Paramount SP5000 white with extended throat lid & dress ring grey round no gasket	Fibreglass
ASM022	Paramount SP5000 white not extended throat lid & dress ring grey square no gasket white extension ring	Fibreglass

Note: Our Waterco range of Pool & Spa Skimmer boxes are not tested to the standard and no compliance certification certificate available, as the standard, AS1926.3-2010, specifies in Clause 5.6.2 (a) testing is only required for **alternative** skimming devices.


Note: According to Clause 3.2, an alternative Skimming device is a Skimmer that does not comply with clauses 5.1 to 5.5 and all our Skimmers are manufactured to complying with clauses 5.1 to 5.5.

However, one of the most important clause within the Standard is 5.2 (c) as follows:

- When a pump is connected to a single skimmer box, then the skimmer box and/or its installation shall incorporate at least two of the following:

(i) The dimensional requirements of Figure 1.



(ii) A child resistant lid.



Waterco Skimmer Boxes comply with all dimensions specified within Figure 1 (refer image above). In particular the access hole being not greater than 280mm. Waterco lid retaining insert ring internal diameter is 275mm.

All Waterco Skimmer Box lid and lid retaining insert ring have provision for two screws to secure the lid and retaining insert ring, achieving a child resistant lid fitting. However, skimmers manufactured after September 2012 will also have an additional locking mechanism. A latch that slides across to lock into a special locking lugs moulded into the retaining ring and two screws to secure the lid and retaining insert ring, both methods achieving a child resistant lid fitting.

Note: The two retaining screws are supplied standard with all Waterco Skimmer Boxes.



Two retaining screw inserts moulded in the Skimmer Box retaining insert ring.

Two retaining screw holes moulded into the Skimmer Box lid to secure to retaining insert ring.

The new sliding latch system:



Underneath view of sliding latch.



Top view with tool inserted for locking.



Special locking lugs moulded into the outer retaining ring.



Specially designed tool.

Note: All Waterco Skimmer box lids have a slip resistant moulded pattern with the finished surface.

Note: All Waterco Skimmer Boxes has a maximum flow rate of 375 litres per minute.

Please do not hesitate to contact Waterco Sales Department for any further requirements.

For and on behalf of Waterco LTD.

George Flory
Domestic Water Care Products Manager